

ORIGINAL - GLASS WEDGE BASE W16W

Original spare part



The cost-effective original spare parts

The ORIGINAL signal lamps with glass wedge bases are available as original spare parts for different lamp types. Discover these reliable lamps and OSRAM's proven high quality.

Technical data

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

General Product Information

Global order reference	921
------------------------	-----


Electrical Data

Power input	19.4 W
Nominal voltage	12.8 V
Nominal wattage	16 W
Test voltage	13.5 V
Power input tolerance	±10 %

Photometric Data

Nominal luminous flux	310 lm
Luminous flux tolerance	±20 %

Physical Attributes & Dimensions



Diameter	16.0 mm
Product weight	1.84 g
Length	38.0 mm
Lamp base	W2.1x9.5d

Lifetime Data

Lifespan B3	400 hr
Lifespan Tc	1000 hr

Product datasheet

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	W16W
--------------	------

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4062172374941 4062172396486 4062172374972 4062172396462 4062172436489 4006584393763 4052899135826 4052899406933 4052899250550 4052899444676 4008321298027 4008321349507 4008321100948
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321100948	OSRA921	-	-	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321100948	ORIGINAL - WEDGE BASE W16W	Unpacked 1	38 mm x 16 mm x 16 mm	0.01 dm³	2.00 g
4008321100962	ORIGINAL - WEDGE BASE W16W	Shipping carton box 50	205 mm x 144 mm x 64 mm	1.89 dm³	220.00 g
4062172396486	ORIGINAL - WEDGE BASE W16W	BLI ECO 2	70 mm x 16 mm x 95 mm	0.01 dm³	14.00 g
4062172396493	ORIGINAL - WEDGE BASE W16W	Shipping carton box 20	104 mm x 104 mm x 78 mm	0.84 dm³	162.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File

Product datasheet

	User instruction GPRS_Safety symbols instructions
	Addon Technical Information Product Certificates AUX

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM