


ORIGINAL - METAL BASE

Original spare part



The cost-effective original spare parts for trucks

Discover OSRAM's ORIGINAL signal lamps with metal bases - high-quality original spare parts for 24 volt lamps. Due to the wide product range, the lamps can be used for different applications: as position and parking lights, indicator, brake, fog and reversing lights as well as number plate and side position lights.

Technical data

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

General Product Information

Global order reference	7529
------------------------	------


Electrical Data

Power input	15 W
Nominal voltage	24 V
Nominal wattage	15 W
Power input tolerance	±10 %
Test voltage	28.0 V

Photometric Data

Nominal luminous flux	210 lm
Luminous flux tolerance	±25 %

Physical Attributes & Dimensions



Lamp base	BA15s
Length	46.5 mm
Diameter	25.0 mm
Product weight	7.98 g

Lifetime Data

Lifespan B3	100 hr
Lifespan Tc	300 hr

Product datasheet

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	-
--------------	---

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4008321671851 4050300891774
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300891774	OSRA7529	-	-	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300891774	ORIGINAL - METAL BASE 7529	Unpacked 1	- x - x -		8.00 g
4008321091048	ORIGINAL - METAL BASE 7529	Shipping carton box 50	273 mm x 145 mm x 65 mm	2.57 dm ³	559.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File	
	User instruction GPRS_Safety symbols instructions

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM