

ORIGINAL LINE H4

OEM quality for trucks



The cost-effective original spare parts for trucks

Continuously safe and robust: OSRAM ORIGINAL LINE is a balanced and economic solution for all standard requirements in the 24 V sector. Successfully used in millions of new vehicles from renowned manufacturers, whether as standard initial equipment or original spare parts. These reliable halogen lamps provide a convincing performance for standard requirements and are cost-effective. Convince yourself of the optimum price to performance ratio, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Technical data

Product information

Application (Category and Product specific)	Halogen headlight lamp
---	------------------------

General Product Information

Global order reference	64196
------------------------	-------

Electrical Data


Power input	85 / 80 W ¹⁾
Nominal voltage	24 V
Nominal wattage	75/70 W
Test voltage	28.0 V

¹⁾ Maximum

Photometric Data

Nominal luminous flux	1900/1200 lm
Luminous flux tolerance	±15 / ±15 %

Physical Attributes & Dimensions



Lamp base	P43t
Length	82.0 mm
Diameter	17.0 mm
Product weight	23.00 g

Lifetime Data

Lifespan B3	170 / 350 hr ¹⁾
Lifespan Tc	400 / 800 hr ¹⁾

¹⁾ Filament 1 / Filament 2

Product datasheet

Capabilities

Technology	HAL
------------	-----

Certificates & standards

ECE category	H4
--------------	----

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4062172355704 4008321650696 4050300937724 4008321773784 4052899310377 4008321373939 4062172119214 4050300212296 4062172130936 4050300925868 4008321151575 4008321021793 4050300016542 4052899411883 4052899475946
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Country specific information

Product code	METEL code	SEG number	STK number	UK Org
4050300016542	OSRA64196	8328060	4739964	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300016542	ORIGINAL LINE H4	FS ECO 1	47 mm x 47 mm x 71 mm	0.16 dm³	32.00 g
4050300212289	ORIGINAL LINE H4	Shipping carton box 100	485 mm x 250 mm x 160 mm	19.40 dm³	3505.00 g
4050300925868	ORIGINAL LINE H4	Blister 1	135 mm x 95 mm x 51 mm	0.65 dm³	35.00 g
4008321142849	ORIGINAL LINE H4	Shipping carton box 10	335 mm x 115 mm x 146 mm	5.62 dm³	451.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File

Product datasheet

	User instruction GPRS_Safety symbols instructions
	Addon Technical Information Product Certificates HAL
	ref_pim_amsproduct360degreeimages ORIGINAL TRUCK H4 64196

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM