

ORIGINAL LINE H3

OEM quality for trucks



The cost-effective original spare parts for trucks

Continuously safe and robust: OSRAM ORIGINAL LINE is a balanced and economic solution for all standard requirements in the 24 V sector. Successfully used in millions of new vehicles from renowned manufacturers, whether as standard initial equipment or original spare parts. These reliable halogen lamps provide a convincing performance for standard requirements and are cost-effective. Convince yourself of the optimum price to performance ratio, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Technical data

Product information

Application (Category and Product specific)	Halogen headlight lamp
---	------------------------

General Product Information

Global order reference	64156
------------------------	-------

Electrical Data


Power input	84 W ¹⁾
Nominal voltage	24 V
Nominal wattage	70 W
Test voltage	28.0 V

¹⁾ Maximum

Photometric Data

Nominal luminous flux	1750 lm
Luminous flux tolerance	±15 %
Color temperature	3200 K

Physical Attributes & Dimensions



Lamp base	PK22s
Length	42.0 mm
Diameter	11.5 mm
Product weight	6.90 g

Lifetime Data

Lifespan B3	400 hr
Lifespan Tc	650 hr

Product datasheet

Capabilities

Technology	HAL
------------	-----

Certificates & standards

ECE category	H3
--------------	----

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4062172027335 4052899563261 4058075021938 4062172285896 4062172339872 4008321371638 4050300881461 4050300565811 4052899576377 4062172121415 4050300016535 4062172232333 4050300985886 4052899412125
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Country specific information

Product code	METEL code	SEG number	STK number	UK Org
4050300016535	OSRA64156	8328042	4739963	-
4050300016535	OSRA64156	-	4739963	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300016535	ORIGINAL LINE H3	FS ECO 1	25 mm x 23 mm x 70 mm	0.04 dm³	9.00 g
4050300211244	ORIGINAL LINE H3	Shipping carton box 100	122 mm x 109 mm x 361 mm	4.80 dm³	940.00 g
4050300565811	ORIGINAL LINE H3	Blister 1	- x - x -		
4050300565828	ORIGINAL LINE H3	Shipping carton box 10	145 mm x 130 mm x 147 mm	2.77 dm³	246.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

Product datasheet

File	
	User instruction GPRS_Safety symbols instructions
	Addon Technical Information Product Certificates HAL
	ref_pim_amsproduct360degreeimages ORIGINAL TRUCK H3 64156

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM