

ORIGINAL - METAL BASE H6W

Original spare part



The cost-effective original spare parts

ORIGINAL signal lamps with metal bases feature - like all ORIGINAL products from OSRAM - a reliable OEM quality. Due to the wide product range, the lamps can be used as original spare lamps for different applications.

Technical data

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

General Product Information

Global order reference	64132
------------------------	-------


Electrical Data

Power input	7 W
Nominal voltage	12 V
Nominal wattage	6 W
Test voltage	13.5 V
Power input tolerance	±5 %

Photometric Data

Nominal luminous flux	125 lm
Luminous flux tolerance	±12 %

Physical Attributes & Dimensions



Diameter	9 mm
Product weight	2.30 g
Length	33.0 mm
Lamp base	BAX9s

Lifetime Data

Lifespan B3	350 hr
Lifespan Tc	700 hr

Product datasheet

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	H6W
Approval marks – approval	E1 approval

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4008321360274 4008321094896 4008321115300 4050300883250 4008321360151
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321094896	ORIGINAL - METAL BASE H6W	Unpacked 1	- x - x -		5.00 g
4008321094919	ORIGINAL - METAL BASE H6W	Shipping carton box 50	205 mm x 144 mm x 64 mm	1.89 dm ³	272.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File	
	User instruction GPRS_Safety symbols instructions
	Addon Technical Information Product Certificates AUX

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

