

## ORIGINAL - METAL BASE R5W

Original spare part



### The cost-effective original spare parts for trucks

Discover OSRAM's ORIGINAL signal lamps with metal bases - high-quality original spare parts for 24 volt lamps. Due to the wide product range, the lamps can be used for different applications: as position and parking lights, indicator, brake, fog and reversing lights as well as number plate and side position lights.

Technical data

Product information

|                                             |                |
|---------------------------------------------|----------------|
| Application (Category and Product specific) | Auxiliary lamp |
|---------------------------------------------|----------------|

General Product Information

|                        |      |
|------------------------|------|
| Global order reference | 5626 |
|------------------------|------|


Electrical Data

|                       |        |
|-----------------------|--------|
| Power input           | 7 W    |
| Nominal voltage       | 24 V   |
| Nominal wattage       | 5 W    |
| Power input tolerance | ±10 %  |
| Test voltage          | 28.0 V |

Photometric Data

|                         |       |
|-------------------------|-------|
| Nominal luminous flux   | 50 lm |
| Luminous flux tolerance | ±25 % |

Physical Attributes & Dimensions



|                |         |
|----------------|---------|
| Lamp base      | BA15d   |
| Length         | 37.5 mm |
| Diameter       | 16.0 mm |
| Product weight | 7.00 g  |

Lifetime Data

|             |        |
|-------------|--------|
| Lifespan B3 | 80 hr  |
| Lifespan Tc | 250 hr |

Product datasheet

Capabilities

|            |     |
|------------|-----|
| Technology | AUX |
|------------|-----|

Certificates & standards

|              |     |
|--------------|-----|
| ECE category | R5W |
|--------------|-----|

Environmental & Regulatory Information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |                                    |
|-----------------------------------------------------------------------|------------------------------------|
| Primary article identifier                                            | 4008321095336                      |
| Candidate list substance 1                                            | No declarable substances contained |
| Declaration no. in SCIP database                                      | No declarable substances contained |

Country specific information

| Product code  | METEL code | SEG-No. | STK-Number | UK Org |
|---------------|------------|---------|------------|--------|
| 4008321095336 | OSRA5626   | -       | -          | -      |

Logistical Data

| Product code  | Product description          | Packaging unit<br>(Pieces/Unit) | Dimensions (length<br>x width x height) | Volume               | Gross weight |
|---------------|------------------------------|---------------------------------|-----------------------------------------|----------------------|--------------|
| 4008321095336 | ORIGINAL - METAL<br>BASE R5W | Unpacked<br>1                   | 37 mm x 16 mm x<br>16 mm                | 0.01 dm <sup>3</sup> | 7.00 g       |
| 4008321095350 | ORIGINAL - METAL<br>BASE R5W | Shipping carton box<br>50       | 210 mm x 147 mm x<br>68 mm              | 2.10 dm <sup>3</sup> | 487.00 g     |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

| File                                                                                |                                                      |
|-------------------------------------------------------------------------------------|------------------------------------------------------|
|  | User instruction<br>GPRS_Safety symbols instructions |

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM