

ORIGINAL - METAL BASE R5W

Original spare part



The cost-effective original spare parts

ORIGINAL signal lamps with metal bases feature - like all ORIGINAL products from OSRAM - a reliable OEM quality. Due to the wide product range, the lamps can be used as original spare lamps for different applications.

Technical data

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

General Product Information

Global order reference	5007
------------------------	------


Electrical Data

Power input	5 W
Nominal voltage	12 V
Nominal wattage	5 W
Test voltage	13.5 V
Power input tolerance	±10 %

Photometric Data

Nominal luminous flux	50 lm
Luminous flux tolerance	±20 %

Physical Attributes & Dimensions



Diameter	16.0 mm
Product weight	6.00 g
Length	37.5 mm
Lamp base	BA15s

Lifetime Data

Lifespan B3	350 hr
Lifespan Tc	800 hr

Product datasheet

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	R5W
Approval marks – approval	E1 approval

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4050300838427 4008321186737 4050300879413 4062172415842 4008321355232 4062172396028 4052899407015 4050300925585 4062172396004
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Country specific information

Product code	METEL code	SEG number	STK-Number	UK Org
4050300838427	OSRA5007	8328126	-	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300838427	ORIGINAL - METAL BASE R5W	Unpacked 1	19 mm x 19 mm x 37 mm	0.01 dm³	6.00 g
4008321093882	ORIGINAL - METAL BASE R5W	Shipping carton box 50	210 mm x 147 mm x 68 mm	2.10 dm³	412.00 g
4062172396028	ORIGINAL - METAL BASE R5W	BLI ECO 2	70 mm x 27 mm x 95 mm	0.18 dm³	23.00 g
4062172396035	ORIGINAL - METAL BASE R5W	Shipping carton box 20	164 mm x 124 mm x 78 mm	1.59 dm³	274.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File

Product datasheet

	User instruction GPRS_Safety symbols instructions
	Addon Technical Information Product Certificates AUX
	ref_pim_amsproduct360degreeimages ORIGINAL R5W 5007

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM