

ORIGINAL - METAL BASE T4W

Original spare part



The cost-effective original spare parts for trucks

Discover OSRAM's ORIGINAL signal lamps with metal bases - high-quality original spare parts for 24 volt lamps. Due to the wide product range, the lamps can be used for different applications: as position and parking lights, indicator, brake, fog and reversing lights as well as number plate and side position lights.

Technical data

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

General Product Information

Global order reference	3930
------------------------	------


Electrical Data

Power input	5 W
Nominal voltage	24 V
Nominal wattage	4 W
Power input tolerance	±10 %
Test voltage	28.0 V

Photometric Data

Nominal luminous flux	35 lm
Luminous flux tolerance	±20 %

Physical Attributes & Dimensions



Lamp base	BA9s
Length	27.4 mm
Diameter	8.8 mm
Product weight	2.02 g

Lifetime Data

Lifespan B3	550 hr
Lifespan Tc	1000 hr

Product datasheet

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	T4W
--------------	-----

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4050300880273 4050300838366 4050300926001
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Country specific information

Product code	METEL code	SEG-No.	STK number	UK Org
4050300838366	OSRA3930	-	4739924	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300838366	ORIGINAL - METAL BASE T4W	Unpacked 1	9 mm x 9 mm x 27 mm	0.00 dm ³	2.00 g
4008321095695	ORIGINAL - METAL BASE T4W	Shipping carton box 50	148 mm x 115 mm x 55 mm	0.94 dm ³	192.00 g
4050300926001	ORIGINAL - METAL BASE T4W	Blister 2	95 mm x 70 mm x 18 mm	0.00 dm ³	9.00 g
4008321140302	ORIGINAL - METAL BASE T4W	Shipping carton box 20	137 mm x 80 mm x 103 mm	1.13 dm ³	118.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File	
	User instruction GPRS_Safety symbols instructions
	Addon Technical Information Product Certificates AUX

Product datasheet

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM