


ORIGINAL - PLASTIC MF BASE

Original spare part



The cost-effective original spare parts for trucks

With the ORIGINAL signal lamps for printed circuit boards, OSRAM offers a wide product range of original spare parts for trucks. These lamps provide OSRAM's reliable OEM quality and can be used for instrument and switch lighting.

Technical data

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

General Product Information

Global order reference	2741MFX
------------------------	---------


Electrical Data

Power input	1.6 W
Nominal voltage	24 V
Nominal wattage	1 W
Power input tolerance	±10 %
Test voltage	28.0 V

Photometric Data

Nominal luminous flux	6.4 lm
Luminous flux tolerance	±25 %

Physical Attributes & Dimensions



Lamp base	BX8.5d
Length	23.5 mm
Diameter	5 mm
Product weight	1.18 g

Colors & materials

Base color	Copper brown
------------	--------------

Lifetime Data

Product datasheet

Lifespan B3	400 hr
Lifespan Tc	2000 hr

Capabilities

Technology	AUX
------------	-----

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4008321297211 4008321018984
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321297211	OSRA2741MFX	-	-	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321297211	ORIGINAL - PLASTIC MF BASE 2741MFX	Unpacked 1	23 mm x 5 mm x 5 mm	0.00 dm³	1.00 g
4008321297235	ORIGINAL - PLASTIC MF BASE 2741MFX	Shipping carton box 50	148 mm x 115 mm x 55 mm	0.94 dm³	144.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File	
	User instruction GPRS_Safety symbols instructions

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM